


## Côte d'Ivoire

General indicators	Source	2001
Population (thousands)	UNPOP	16349
Population growth rate (%)	UNPOP	2.3
Infant mortality rate (per 1000)	UNICEF	102
Under-5 mortality rate (per 1000)	UNICEF	175
Crude birth rate (per 1000)	UNPOP	35.3
Pop. at endemic (epidemic) risk (%)	MARA <sup>1</sup>	100 (0)

### Proportional rank for select indicators



### Malaria morbidity and mortality

Hospital deaths due to malaria	20%
Malaria admissions	45%
Malaria outpatient attendance	35%
Outpatient malaria cases (per 1000)	93
Inpatient malaria cases (per 1000)	28

0% 20% 40% 60% 80% 100%

Source	1998	1999	2000	2001
MoH			10	20
MoH			21	49
MoH			24	38
MoH			93	24
MoH			28	2

### Mosquito nets and ITNs

Households with mosquito nets	10%
Under-5s using mosquito nets	10%
Households with ITNs	1%
Under-5s using ITNs	1%

0% 20% 40% 60% 80% 100%

Source	1998	1999	2000	2001
MICS			10	
MICS			1	

### Antimalarial treatment

Under-5s receiving any antimalarial	58%
Under-5s receiving chloroquine	56%
Under-5s receiving any antimalarial <24 h	

0% 20% 40% 60% 80% 100%

Source	1998	1999	2000	2001
MICS			58	
MICS			56	

### Attending health facility

Under-5s receiving any antimalarial	27%
Under-5s receiving chloroquine	26%

0% 20% 40% 60% 80% 100%


Source	1998	1999	2000	2001
MICS			27	
MICS			26	

### Malaria in pregnancy

PW receiving ANC at least once	84%
PW attending ANC at least twice	88%
PW receiving IPT at least once	
PW receiving IPT at least twice	
PW using mosquito nets	
PW using ITNs	

0% 20% 40% 60% 80% 100%

Source	1998	1999	2000	2001
MICS		84	88	
DHS		73		



### Antimalarial treatment policy

Date adopted: ----

Uncomplicated	Probable	CQ 25 mg/kg
	Confirmed	CQ 25 mg/kg
Treatment failure		SP
Severe malaria		Quinine 3 times a day, 7 days
Pregnancy	Prevention	CQ weekly

### Taxes and tariffs on insecticide-treated nets

		Date
Import tariff - nets	21%	2001
VAT - nets	0%	2001

### Notes

For an explanation of indicators, ranks, and other information, see the Country Profile Overview.

Sources listed reflect most recent value.

Case notification rate is based on number of reported outpatient cases.

Nationally representative surveys (MICS and DHS) are used for reporting intervention coverage estimates for 1) mosquito net and ITN possession and use and 2) antimalarial treatment.

<sup>1</sup> Population at risk is determined from modelling retrospective climate data and population projections. Percentage of population at risk does not vary by year.