


Ethiopia


General indicators	Source	2001
Population (thousands)	UNPOP	64459
Population growth rate (%)	UNPOP	2.8
Infant mortality rate (per 1000)	UNICEF	116
Under-5 mortality rate (per 1000)	UNICEF	172
Crude birth rate (per 1000)	UNPOP	43.8
Pop. at endemic (epidemic) risk (%)	MARA ¹	40 (24)

Proportional rank for select indicators



Malaria morbidity and mortality

Hospital deaths due to malaria	24
Malaria admissions	31
Malaria outpatient attendance	23




Source	1998	1999	2000	2001
MoH		24		24
MoH		20		31
MoH		25		23
MoH	10	11	6	

Outpatient malaria cases (per 1000)
Inpatient malaria cases (per 1000)

Mosquito nets and ITNs


Households with mosquito nets	1
Under-5s using mosquito nets	
Households with ITNs	0
Under-5s using ITNs	



Source	1998	1999	2000	2001
DHS			1	
DHS			0	

Antimalarial treatment

Under-5s receiving any antimalarial	3
Under-5s receiving chloroquine	2
Under-5s receiving any antimalarial <24 h	




Source	1998	1999	2000	2001
DHS			3	
DHS			2	

Attending health facility


Under-5s receiving any antimalarial	
Under-5s receiving chloroquine	

Malaria in pregnancy

PW receiving ANC at least once	26
PW attending ANC at least twice	21
PW receiving IPT at least once	
PW receiving IPT at least twice	
PW using mosquito nets	
PW using ITNs	



Source	1998	1999	2000	2001
DHS			26	
DHS			21	



Antimalarial treatment policy

Date adopted:	1998
Uncomplicated	Probable CQ 25 mg/kg + SP Confirmed CQ 25 mg/kg + SP
Treatment failure	Quinine 3 times a day, 7 days
Severe malaria	Quinine 3 times a day, 7 days
Pregnancy	Prevention

Taxes and tariffs on insecticide-treated nets

Import tariff - nets	Date
VAT - nets	

Notes

For an explanation of indicators, ranks, and other information, see the Country Profile Overview.
Sources listed reflect most recent value.

Case notification rate is based on number of reported outpatient cases.

Nationally representative surveys (MICS and DHS) are used for reporting intervention coverage estimates for 1) mosquito net and ITN possession and use and 2) antimalarial treatment.

¹ Population at risk is determined from modelling retrospective climate data and population projections. Percentage of population at risk does not vary by year.