


Mali

General indicators	Source	2001
Population (thousands)	UNPOP	11677
Population growth rate (%)	UNPOP	2.6
Infant mortality rate (per 1000)	UNICEF	141
Under-5 mortality rate (per 1000)	UNICEF	231
Crude birth rate (per 1000)	UNPOP	49.6
Pop. at endemic (epidemic) risk (%)	MARA ¹	99 (1)

Proportional rank for select indicators



Malaria morbidity and mortality

Hospital deaths due to malaria	30%
Malaria admissions	35%
Malaria outpatient attendance	30%
Outpatient malaria cases (per 1000)	11%
Inpatient malaria cases (per 1000)	2%

0% 20% 40% 60% 80% 100%

Source	1998	1999	2000	2001
MoH		42	40	30
MoH		42	46	38
MoH	33	40	36	32
MoH	42	11	9	7
MoH		2	2	1

Mosquito nets and ITNs

Households with mosquito nets	54%
Under-5s using mosquito nets	37%
Households with ITNs	
Under-5s using ITNs	

0% 20% 40% 60% 80% 100%

Source	1998	1999	2000	2001
DHS				54
DHS				37

Antimalarial treatment

Under-5s receiving any antimalarial	35%
Under-5s receiving chloroquine	
Under-5s receiving any antimalarial <24 h	

0% 20% 40% 60% 80% 100%

Source	1998	1999	2000	2001
DHS				38

Attending health facility


Under-5s receiving any antimalarial	
Under-5s receiving chloroquine	

Malaria in pregnancy

PW receiving ANC at least once	57%
PW attending ANC at least twice	
PW receiving IPT at least once	
PW receiving IPT at least twice	
PW using mosquito nets	
PW using ITNs	

0% 20% 40% 60% 80% 100%

Source	1998	1999	2000	2001
DHS				57
DHS				47



Antimalarial treatment policy

Date adopted:	----	
Uncomplicated	Probable	CQ 25 mg/kg
	Confirmed	CQ 25 mg/kg
Treatment failure		SP
Severe malaria		Quinine 3 times a day, 7 days
Pregnancy	Prevention	CQ weekly

Taxes and tariffs on insecticide-treated nets

		Date
Import tariff - nets	18%	2000
VAT - nets	18%	2000

Notes

For an explanation of indicators, ranks, and other information, see the Country Profile Overview. Sources listed reflect most recent value.

Case notification rate is based on number of reported outpatient cases.

Nationally representative surveys (MICS and DHS) are used for reporting intervention coverage estimates for 1) mosquito net and ITN possession and use and 2) antimalarial treatment.

¹ Population at risk is determined from modelling retrospective climate data and population projections. Percentage of population at risk does not vary by year.