


## Nigeria

General indicators	Source	2001
Population (thousands)	UNPOP	116929
Population growth rate (%)	UNPOP	2.8
Infant mortality rate (per 1000)	UNICEF	110
Under-5 mortality rate (per 1000)	UNICEF	183
Crude birth rate (per 1000)	UNPOP	39.5
Pop. at endemic (epidemic) risk (%)	MARA <sup>1</sup>	100 (0)


### Proportional rank for select indicators



### Malaria morbidity and mortality

Indicator	Source	1998	1999	2000	2001
Hospital deaths due to malaria	MoH	10	7	7	
Malaria admissions	MoH	18	24	9	20
Malaria outpatient attendance	MoH	25	22	19	27
Outpatient malaria cases (per 1000)	MoH	2			
Inpatient malaria cases (per 1000)					


0% 20% 40% 60% 80% 100%



### Mosquito nets and ITNs

Indicator	Source	1998	1999	2000	2001
Households with mosquito nets					
Under-5s using mosquito nets					
Households with ITNs					
Under-5s using ITNs					


0% 20% 40% 60% 80% 100%



### Antimalarial treatment

Indicator	Source	1998	1999	2000	2001
Under-5s receiving any antimalarial					
Under-5s receiving chloroquine					
Under-5s receiving any antimalarial <24 h					

0% 20% 40% 60% 80% 100%





### Attending health facility

Indicator	Source	1998	1999	2000	2001
Under-5s receiving any antimalarial					
Under-5s receiving chloroquine					

### Malaria in pregnancy

Indicator	Source	1998	1999	2000	2001
PW receiving ANC at least once	DHS		64		
PW attending ANC at least twice	DHS		35		
PW receiving IPT at least once					
PW receiving IPT at least twice					
PW using mosquito nets					
PW using ITNs					

0% 20% 40% 60% 80% 100%



### Antimalarial treatment policy

Date adopted: ----

Uncomplicated	Probable	CQ 25 mg/kg
	Confirmed	CQ 25 mg/kg
Treatment failure		SP
Severe malaria		Quinine 3 times a day, 7 days
Pregnancy	Prevention	CQ weekly

### Taxes and tariffs on insecticide-treated nets

		Date
Import tariff - nets	5%	2001
VAT - nets	5%	2001

### Notes

For an explanation of indicators, ranks, and other information, see the Country Profile Overview. Sources listed reflect most recent value.

Case notification rate is based on number of reported outpatient cases.

Nationally representative surveys (MICS and DHS) are used for reporting intervention coverage estimates for 1) mosquito net and ITN possession and use and 2) antimalarial treatment.

<sup>1</sup> Population at risk is determined from modelling retrospective climate data and population projections. Percentage of population at risk does not vary by year.