


United Republic of Tanzania


General indicators	Source	2001
Population (thousands)	UNPOP	35965
Population growth rate (%)	UNPOP	2.9
Infant mortality rate (per 1000)	UNICEF	104
Under-5 mortality rate (per 1000)	UNICEF	165
Crude birth rate (per 1000)	UNPOP	37.9
Pop. at endemic (epidemic) risk (%)	MARA ¹	93 (3)

Proportional rank for select indicators



Malaria morbidity and mortality


Hospital deaths due to malaria	44
Malaria admissions	47
Malaria outpatient attendance	42
Outpatient malaria cases (per 1000)	912
Inpatient malaria cases (per 1000)	12



Source	1998	1999	2000	2001
MoH	22			44
MoH	39	35		47
MoH	33	40		42
MoH	912	12		

Mosquito nets and ITNs


Households with mosquito nets	30
Under-5s using mosquito nets	21
Households with ITNs	1
Under-5s using ITNs	2



Source	1998	1999	2000	2001
DHS		30		
DHS		21		
DHS		1		
DHS		2		

Antimalarial treatment

Under-5s receiving any antimalarial	53
Under-5s receiving chloroquine	53
Under-5s receiving any antimalarial <24 h	




Source	1998	1999	2000	2001
DHS		53		
DHS		53		

Attending health facility


Under-5s receiving any antimalarial	
Under-5s receiving chloroquine	

Malaria in pregnancy

PW receiving ANC at least once	81
PW attending ANC at least twice	81
PW receiving IPT at least once	
PW receiving IPT at least twice	
PW using mosquito nets	
PW using ITNs	



Source	1998	1999	2000	2001
DHS		81		
DHS		81		



Antimalarial treatment policy

	Date adopted:	1999
Uncomplicated	Probable	SP
	Confirmed	SP
Treatment failure		AQ
Severe malaria		Quinine 3 times a day, 7 days
Pregnancy	Prevention	SP - IPT

Taxes and tariffs on insecticide-treated nets

		Date
Import tariff - nets	0%	Before Abuja
VAT - nets	0%	Before Abuja

Notes

For an explanation of indicators, ranks, and other information, see the Country Profile Overview. Sources listed reflect most recent value.

Case notification rate is based on number of reported outpatient cases.

Nationally representative surveys (MICS and DHS) are used for reporting intervention coverage estimates for 1) mosquito net and ITN possession and use and 2) antimalarial treatment.

¹ Population at risk is determined from modelling retrospective climate data and population projections. Percentage of population at risk does not vary by year.